

2021-07-01
 Power: 2.30 kW
 Sraight Heating
 Wort: 30.0@12.00%
 Run Time-Step: 1 min
 Run Max-Time: 500 min
 Strip Run

Foreshots 000:00 0.0ml @ 0.00% = 0.0ml
 Heads 000:00 0.0ml @ 0.00% = 0.0ml
 Hearts 000:00 0.0ml @ 0.00% = 0.0ml
 Tails 157:10 12.1l @ 29.44% = 3.571 l
 Lost in Cube 157:10 17.9l @ 0.16% = 28.9ml
 Total AbV, l = 3.600 l

Time	Cube Fluid	Collected	Total Collected
001:00	29.9 @ 11.8%	102.5ml @ 57.2%	102.5ml @ 57.2%
002:00	29.8 @ 11.7%	102.2ml @ 56.9%	204.8ml @ 57.1%
003:00	29.7 @ 11.5%	101.9ml @ 56.7%	306.7ml @ 56.9%
004:00	29.6 @ 11.4%	101.6ml @ 56.4%	408.3ml @ 56.8%
005:00	29.5 @ 11.2%	101.3ml @ 56.2%	509.7ml @ 56.7%
006:00	29.4 @ 11.1%	101.0ml @ 55.9%	610.7ml @ 56.6%
007:00	29.3 @ 10.9%	100.7ml @ 55.7%	711.4ml @ 56.4%
008:00	29.2 @ 10.8%	100.4ml @ 55.4%	811.9ml @ 56.3%
009:00	29.1 @ 10.6%	100.2ml @ 55.2%	912.1ml @ 56.2%
010:00	29.0 @ 10.5%	99.9ml @ 54.9%	1.0 @ 56.1%
011:00	28.9 @ 10.3%	99.6ml @ 54.7%	1.1 @ 55.9%
012:00	28.8 @ 10.2%	99.3ml @ 54.4%	1.2 @ 55.8%
013:00	28.7 @ 10.0%	99.0ml @ 54.2%	1.3 @ 55.7%
014:00	28.6 @ 9.9%	98.7ml @ 53.9%	1.4 @ 55.6%
015:00	28.5 @ 9.7%	98.3ml @ 53.6%	1.5 @ 55.4%
016:00	28.4 @ 9.6%	97.9ml @ 53.2%	1.6 @ 55.3%
017:00	28.3 @ 9.4%	97.5ml @ 52.8%	1.7 @ 55.2%
018:00	28.2 @ 9.3%	97.1ml @ 52.5%	1.8 @ 55.0%
019:00	28.1 @ 9.1%	96.7ml @ 52.1%	1.9 @ 54.9%
020:00	28.0 @ 9.0%	96.3ml @ 51.7%	2.0 @ 54.7%
021:00	27.9 @ 8.8%	95.9ml @ 51.4%	2.1 @ 54.6%
022:00	27.8 @ 8.7%	95.6ml @ 51.0%	2.2 @ 54.4%
023:00	27.7 @ 8.5%	95.1ml @ 50.6%	2.3 @ 54.3%
024:00	27.6 @ 8.4%	94.6ml @ 50.1%	2.4 @ 54.1%
025:00	27.5 @ 8.2%	94.1ml @ 49.6%	2.5 @ 53.9%
026:00	27.4 @ 8.1%	93.6ml @ 49.2%	2.6 @ 53.7%
027:00	27.3 @ 8.0%	93.2ml @ 48.7%	2.7 @ 53.6%
028:00	27.3 @ 7.8%	92.7ml @ 48.2%	2.7 @ 53.4%
029:00	27.2 @ 7.7%	92.3ml @ 47.8%	2.8 @ 53.2%
030:00	27.1 @ 7.6%	91.8ml @ 47.3%	2.9 @ 53.0%
031:00	27.0 @ 7.4%	91.4ml @ 46.9%	3.0 @ 52.8%
032:00	26.9 @ 7.3%	91.0ml @ 46.4%	3.1 @ 52.6%
033:00	26.8 @ 7.2%	90.5ml @ 46.0%	3.2 @ 52.5%
034:00	26.7 @ 7.0%	90.1ml @ 45.6%	3.3 @ 52.3%
035:00	26.6 @ 6.9%	89.7ml @ 45.1%	3.4 @ 52.1%
036:00	26.5 @ 6.8%	89.3ml @ 44.7%	3.5 @ 51.9%
037:00	26.4 @ 6.7%	88.9ml @ 44.3%	3.6 @ 51.7%
038:00	26.3 @ 6.5%	88.5ml @ 43.8%	3.7 @ 51.5%
039:00	26.3 @ 6.4%	88.2ml @ 43.4%	3.7 @ 51.3%

040:00	26.2 @ 6.3%	87.8ml @ 43.0%	3.8 @ 51.1%
041:00	26.1 @ 6.2%	87.4ml @ 42.6%	3.9 @ 50.9%
042:00	26.0 @ 6.0%	87.1ml @ 42.2%	4.0 @ 50.7%
043:00	25.9 @ 5.9%	86.7ml @ 41.8%	4.1 @ 50.6%
044:00	25.8 @ 5.8%	86.4ml @ 41.4%	4.2 @ 50.4%
045:00	25.7 @ 5.7%	86.0ml @ 41.0%	4.3 @ 50.2%
046:00	25.7 @ 5.6%	85.7ml @ 40.5%	4.3 @ 50.0%
047:00	25.6 @ 5.4%	85.3ml @ 40.2%	4.4 @ 49.8%
048:00	25.5 @ 5.3%	85.0ml @ 39.8%	4.5 @ 49.6%
049:00	25.4 @ 5.2%	84.7ml @ 39.4%	4.6 @ 49.4%
050:00	25.3 @ 5.1%	84.4ml @ 39.0%	4.7 @ 49.2%
051:00	25.2 @ 5.0%	84.0ml @ 38.6%	4.8 @ 49.0%
052:00	25.1 @ 4.9%	83.6ml @ 38.1%	4.9 @ 48.9%
053:00	25.1 @ 4.8%	83.2ml @ 37.5%	4.9 @ 48.7%
054:00	25.0 @ 4.7%	82.7ml @ 37.0%	5.0 @ 48.5%
055:00	24.9 @ 4.6%	82.3ml @ 36.4%	5.1 @ 48.3%
056:00	24.8 @ 4.5%	81.9ml @ 35.9%	5.2 @ 48.1%
057:00	24.7 @ 4.4%	81.5ml @ 35.3%	5.3 @ 47.9%
058:00	24.7 @ 4.3%	81.1ml @ 34.8%	5.3 @ 47.7%
059:00	24.6 @ 4.2%	80.7ml @ 34.3%	5.4 @ 47.5%
060:00	24.5 @ 4.1%	80.3ml @ 33.8%	5.5 @ 47.3%
061:00	24.4 @ 4.0%	79.9ml @ 33.3%	5.6 @ 47.1%
062:00	24.3 @ 3.9%	79.5ml @ 32.8%	5.7 @ 46.9%
063:00	24.3 @ 3.8%	79.2ml @ 32.3%	5.7 @ 46.7%
064:00	24.2 @ 3.7%	78.8ml @ 31.8%	5.8 @ 46.5%
065:00	24.1 @ 3.6%	78.4ml @ 31.2%	5.9 @ 46.3%
066:00	24.0 @ 3.5%	78.0ml @ 30.6%	6.0 @ 46.1%
067:00	23.9 @ 3.4%	77.6ml @ 30.1%	6.1 @ 45.9%
068:00	23.9 @ 3.3%	77.3ml @ 29.6%	6.1 @ 45.7%
069:00	23.8 @ 3.3%	76.9ml @ 29.0%	6.2 @ 45.5%
070:00	23.7 @ 3.2%	76.6ml @ 28.5%	6.3 @ 45.3%
071:00	23.6 @ 3.1%	76.2ml @ 28.0%	6.4 @ 45.0%
072:00	23.6 @ 3.0%	75.9ml @ 27.5%	6.4 @ 44.8%
073:00	23.5 @ 2.9%	75.6ml @ 27.0%	6.5 @ 44.6%
074:00	23.4 @ 2.9%	75.2ml @ 26.5%	6.6 @ 44.4%
075:00	23.3 @ 2.8%	74.9ml @ 26.1%	6.7 @ 44.2%
076:00	23.3 @ 2.7%	74.6ml @ 25.6%	6.7 @ 44.0%
077:00	23.2 @ 2.6%	74.3ml @ 25.1%	6.8 @ 43.8%
078:00	23.1 @ 2.6%	74.0ml @ 24.7%	6.9 @ 43.6%
079:00	23.0 @ 2.5%	73.8ml @ 24.2%	7.0 @ 43.4%
080:00	23.0 @ 2.4%	73.4ml @ 23.7%	7.0 @ 43.2%
081:00	22.9 @ 2.4%	73.1ml @ 23.2%	7.1 @ 43.0%
082:00	22.8 @ 2.3%	72.8ml @ 22.6%	7.2 @ 42.8%
083:00	22.7 @ 2.2%	72.4ml @ 22.1%	7.3 @ 42.6%
084:00	22.7 @ 2.2%	72.1ml @ 21.6%	7.3 @ 42.4%
085:00	22.6 @ 2.1%	71.8ml @ 21.1%	7.4 @ 42.2%
086:00	22.5 @ 2.1%	71.5ml @ 20.6%	7.5 @ 42.0%
087:00	22.5 @ 2.0%	71.3ml @ 20.1%	7.5 @ 41.7%
088:00	22.4 @ 2.0%	71.0ml @ 19.6%	7.6 @ 41.5%
089:00	22.3 @ 1.9%	70.7ml @ 19.2%	7.7 @ 41.3%
090:00	22.2 @ 1.8%	70.5ml @ 18.7%	7.8 @ 41.1%
091:00	22.2 @ 1.8%	70.2ml @ 18.3%	7.8 @ 40.9%
092:00	22.1 @ 1.7%	70.0ml @ 17.8%	7.9 @ 40.7%
093:00	22.0 @ 1.7%	69.7ml @ 17.4%	8.0 @ 40.5%
094:00	22.0 @ 1.6%	69.5ml @ 17.0%	8.0 @ 40.3%
095:00	21.9 @ 1.6%	69.3ml @ 16.6%	8.1 @ 40.1%
096:00	21.8 @ 1.6%	69.0ml @ 16.2%	8.2 @ 39.9%

097:00	21.8 @ 1.5%	68.8ml @ 15.8%	8.2 @ 39.7%
098:00	21.7 @ 1.5%	68.6ml @ 15.4%	8.3 @ 39.5%
099:00	21.6 @ 1.4%	68.4ml @ 15.1%	8.4 @ 39.3%
100:00	21.6 @ 1.4%	68.2ml @ 14.7%	8.4 @ 39.1%
101:00	21.5 @ 1.3%	68.0ml @ 14.4%	8.5 @ 38.9%
102:00	21.4 @ 1.3%	67.9ml @ 14.0%	8.6 @ 38.7%
103:00	21.4 @ 1.3%	67.7ml @ 13.7%	8.6 @ 38.5%
104:00	21.3 @ 1.2%	67.5ml @ 13.3%	8.7 @ 38.3%
105:00	21.2 @ 1.2%	67.3ml @ 13.0%	8.8 @ 38.1%
106:00	21.1 @ 1.1%	67.1ml @ 12.6%	8.9 @ 37.9%
107:00	21.1 @ 1.1%	66.9ml @ 12.3%	8.9 @ 37.7%
108:00	21.0 @ 1.1%	66.8ml @ 11.9%	9.0 @ 37.6%
109:00	20.9 @ 1.0%	66.6ml @ 11.6%	9.1 @ 37.4%
110:00	20.9 @ 1.0%	66.4ml @ 11.3%	9.1 @ 37.2%
111:00	20.8 @ 1.0%	66.3ml @ 11.0%	9.2 @ 37.0%
112:00	20.7 @ 0.9%	66.1ml @ 10.7%	9.3 @ 36.8%
113:00	20.7 @ 0.9%	66.0ml @ 10.4%	9.3 @ 36.6%
114:00	20.6 @ 0.9%	65.8ml @ 10.1%	9.4 @ 36.4%
115:00	20.6 @ 0.9%	65.7ml @ 9.8%	9.4 @ 36.2%
116:00	20.5 @ 0.8%	65.6ml @ 9.6%	9.5 @ 36.1%
117:00	20.4 @ 0.8%	65.4ml @ 9.3%	9.6 @ 35.9%
118:00	20.4 @ 0.8%	65.3ml @ 9.0%	9.6 @ 35.7%
119:00	20.3 @ 0.8%	65.2ml @ 8.8%	9.7 @ 35.5%
120:00	20.2 @ 0.7%	65.1ml @ 8.5%	9.8 @ 35.3%
121:00	20.2 @ 0.7%	64.9ml @ 8.3%	9.8 @ 35.1%
122:00	20.1 @ 0.7%	64.8ml @ 8.1%	9.9 @ 35.0%
123:00	20.0 @ 0.7%	64.7ml @ 7.8%	10.0 @ 34.8%
124:00	20.0 @ 0.6%	64.6ml @ 7.6%	10.0 @ 34.6%
125:00	19.9 @ 0.6%	64.5ml @ 7.4%	10.1 @ 34.4%
126:00	19.8 @ 0.6%	64.4ml @ 7.2%	10.2 @ 34.3%
127:00	19.8 @ 0.6%	64.3ml @ 7.0%	10.2 @ 34.1%
128:00	19.7 @ 0.5%	64.2ml @ 6.8%	10.3 @ 33.9%
129:00	19.6 @ 0.5%	64.1ml @ 6.6%	10.4 @ 33.8%
130:00	19.6 @ 0.5%	64.0ml @ 6.4%	10.4 @ 33.6%
131:00	19.5 @ 0.5%	63.9ml @ 6.2%	10.5 @ 33.4%
132:00	19.5 @ 0.5%	63.9ml @ 6.0%	10.5 @ 33.3%
133:00	19.4 @ 0.5%	63.8ml @ 5.8%	10.6 @ 33.1%
134:00	19.3 @ 0.4%	63.7ml @ 5.7%	10.7 @ 32.9%
135:00	19.3 @ 0.4%	63.6ml @ 5.5%	10.7 @ 32.8%
136:00	19.2 @ 0.4%	63.5ml @ 5.3%	10.8 @ 32.6%
137:00	19.1 @ 0.4%	63.5ml @ 5.2%	10.9 @ 32.4%
138:00	19.1 @ 0.4%	63.4ml @ 5.0%	10.9 @ 32.3%
139:00	19.0 @ 0.4%	63.3ml @ 4.9%	11.0 @ 32.1%
140:00	18.9 @ 0.3%	63.3ml @ 4.7%	11.1 @ 32.0%
141:00	18.9 @ 0.3%	63.2ml @ 4.6%	11.1 @ 31.8%
142:00	18.8 @ 0.3%	63.1ml @ 4.5%	11.2 @ 31.7%
143:00	18.8 @ 0.3%	63.1ml @ 4.3%	11.2 @ 31.5%
144:00	18.7 @ 0.3%	63.0ml @ 4.2%	11.3 @ 31.4%
145:00	18.6 @ 0.3%	63.0ml @ 4.1%	11.4 @ 31.2%
146:00	18.6 @ 0.3%	62.9ml @ 3.9%	11.4 @ 31.1%
147:00	18.5 @ 0.3%	62.8ml @ 3.8%	11.5 @ 30.9%
148:00	18.4 @ 0.2%	62.8ml @ 3.6%	11.6 @ 30.8%
149:00	18.4 @ 0.2%	62.7ml @ 3.4%	11.6 @ 30.6%
150:00	18.3 @ 0.2%	62.6ml @ 3.2%	11.7 @ 30.5%
151:00	18.3 @ 0.2%	62.5ml @ 3.0%	11.7 @ 30.3%
152:00	18.2 @ 0.2%	62.4ml @ 2.8%	11.8 @ 30.2%
153:00	18.1 @ 0.2%	62.3ml @ 2.7%	11.9 @ 30.0%

154:00	18.1 @ 0.2%	62.2ml @ 2.5%	11.9 @ 29.9%
155:00	18.0 @ 0.2%	62.2ml @ 2.3%	12.0 @ 29.7%
156:00	17.9 @ 0.2%	62.1ml @ 2.2%	12.1 @ 29.6%
157:00	17.9 @ 0.2%	62.0ml @ 2.1%	12.1 @ 29.5%
157:10	17.9 @ 0.2%	10.3ml @ 2.0%	12.1 @ 29.4%